EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	16	(("6520004") or ("5051594") or ("4157818") or ("3201980") or ("5343748") or ("2573286")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 10:56
S4	2	("5616857").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 11:25
S6	48479	frame S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/21 11:26
S7	17643	(bias or pretension or tensioned or biased) S6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/21 11:35
S9	469	S7 ((center or middle) near sprin$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/21 11:36
S10	66	(oil or lubricant) S9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/21 11:37
S11	18983	(leaf adj spring) with (biased or biasing or pretensioned or pretension or tension or tensed or tensile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/21 11:39

S14	343	S11 (damping or damped) frame	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/21 11:40
S12	23	S11 S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/21 11:40
S15	49	("2564519" | "2713259" | "3044354" | "3785198" | "3835338" | "3870416" | "4310915" | "4343993" | "4384230" | "4623947" | "4686440" | "4721354" | "4848141" | "4856326" | "4926689" | "4984453" | "5150616" | "5344551" | "5359879" | "5517860" | "5546797" | "5661235" | "5866807" | "5994010" | "6000284").PN. OR ("2573286" | "3201980" | "4157818" | "5051594" | "5343748" | "6520004").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2007/02/21 11:43
S16	30	("2869418" | "3044354" | "3525140" | "3801090" | "3849857" | "3870416" | "3990153" | "4077722" | "4157818" | "4520570" | "4635887" | "4668865").PN. OR ("4635887" | "4925139").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2007/02/21 12:03
S17	2	("20060243079").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 12:14
S18	18	("3044354" | "3870416" | "3990153" | "4157818" | "4520570").PN. OR ("4635887"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2007/02/21 12:18

S5	140084	(leaf adj spring)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/21 12:29
S20	140502	(leaf adj spring) or (flexure adj (strip or strips))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/21 12:30
S25	643	S22 S23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/21 12:31
S23	2212315	(oil or lubricant)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/21 12:31
S22	6308	S21 S7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/21 12:31
S21	38538	(frame or housing or holder or support) with S20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/21 12:31
S26	84	S25 (damping or damped)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/21 12:32

S13	800	S11 (damping or damped)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/21 12:32
S8	26	LVDT S7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/02/21 15:08
S28	88	("2564519" | "2713259" | "2869418" | "3044354" | "3525140" | "3785198" | "3801090" | "3835338" | "3849857" | "3870416" | "3990153" | "4077722" | "4157818" | "4310915" | "4343993" | "4384230" | "4520570" | "4559717" | "4575942" | "4623947" | "4635887" | "4667415" | "4668865" | "4686440" | "4688908" | "4721354" | "4841191" | "4848141" | "4856326" | "4908519" | "4920660" | "4925139" | "4926689" | "4984453" | "5005298" | "5051594" | "5051646" | "5150616" | "5344551" | "5359879" | "5517860" | "5546797" | "5661235" | "5866807" | "5994010" | "6000284").PN. OR ("2573286" | "3201980" | "4157818" | "4635887" | "4925139" | "5051594" | "5343748" | "5360974" | "6520004").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2007/02/21 15:14
S29	20	("3563186" | "3870416" | "4336657" | "4559717" | "4565094").PN. OR ("4688908"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2007/02/21 15:18

S2	477	(73/849).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 11:32
L5	2	L4 (oil or lubricant) piston damp$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 11:33
L4	477	(73/849).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 11:33
L9	538	8 (oil or lubricant) piston damp$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 11:34
L8	229487	("73").CLAS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 11:34
L7	0	"73".ccls. (oil or lubricant) piston damp$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 11:34
L6	0	"73".ccls.(oil or lubricant) piston damp$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 11:34

L10	172	8 (oil or lubricant) piston damp$3 opti$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 11:40
L11	36	8 (dashpot or (oil adj pan) or lubricant) (piston near3 damp$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 11:42
L12	1	8 (((table or plate) near piston) with oil)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 11:43
L13	14	8 (((table or plate) near piston) same oil)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 11:44
L14	8	8 (piston with (oil near pan)) (dam$4 or vibra$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 11:45
L18	30	15 "test table" piston	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 11:49
L17	83	15 "test table"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 11:49

L16	8993	15 oil	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 11:49
L15	50069	8 (dam$4 or vibra$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 13:20
L19	31035	(below or underneith or bottom) 15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 13:21
L21	126669	((oil or lubricant or grease or viscous) near2 (bath or pan or pool or reservoir)) or dashpot	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 13:27
L20	125382	((oil or lubricant or grease) near2 (bath or pan or pool or reservoir)) or dashpot	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 13:27
L22	734	21 19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 13:40
L23	160	21 "test table"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 13:42

3/2/2007 7:49:23 PM
C:\Documents and Settings\jdunlap\My Documents\EAST\Workspaces\73\LVDTtable.wsp

L25	6430	21 piston (damp$3 or vibrat$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 13:43
L24	26907	21 piston	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 13:43
L26	3906	(bench or table or plate) 25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 13:44
L27	213	(indenter or scratch or hardness) 26	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 13:45
S27	27	LVDT (AFM or SPM) (table or platform or holder)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 14:31
L29	889	piston 28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 14:31
L28	1619	dashpot same damping	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 14:31

L31	16	("1837817" | "3789873" | "3842924" | "3876017" | "3982738" | "3985190" | "3991841" | "4009604" | "4201081" | "4428444" | "4440250" | "4479561" | "4848495").PN. OR ("5232062"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2007/03/02 14:55
L32	549	vertical with (sample near holder)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 15:22
L30	436	vertical 29	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 15:22
L34	102745	(lateral or linear) (positioning or adjusting or measuring) table optical	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 16:58
L33	18	vertical with (sample near holder) (scratch or indenter or hardness)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 16:58
L37	285	((lateral or linear) near2 (positioning or adjusting or measuring)) LVDT	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 16:59
L36	2166	((lateral or linear) near2 (positioning or adjusting or measuring)) table optical	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 16:59

L38	45	37 36	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 18:44
L39	42	csiro.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 18:51
L42	21	("3077771" | "4159640" | "4621523").PN. OR ("5067346"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2007/03/02 18:59
L41	2	("5067346").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 18:59
L40	57	micro indenter.ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/02 18:59

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	("asmec.as.").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/03 15:33
L2	5	asmec.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/03/03 15:33
L3	38238	(chudoba schwarzer hermann).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/03 15:34
L4	14	(chudoba-thomas schwarzer-norbert hermann-ilja).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/03 15:34